



(02) 9625 2311
 (02) 9832 2469
 www.thevellagroup.com.au
 sales@thevellagroup.com.au
 PO Box 73, Doonside. NSW. 2767
 96 Glendenning Rd Plumpton. NSW. 2761

MEAT BIRD GOWER / FINISHER

Typical Analysis	As Fed	Dry Matter
Energy KCAL /Kg	2780	3160
Protein (%)	19.36	22.00
Calcium (%)	1.67	1.90
Phosphorus (%)	0.88	1.00
Fibre (%)	4.53	5.15
Fat (%)	6.60	7.50

TRACE MINERAL PREMIX ADDED, FOR MORE DETAILED ANALYSIS PLEASE CONTACT VELLA STOCK FEEDS.

Meat Bird Grower / Finisher has been formulated to suit

Turkeys (7 - 8 weeks to desired weight)

Broilers (4 - 5 weeks to desired weight)

Game Birds (Quail, Guinea Fowl & Pheasants, 4 - 5 weeks to desired weight)

- **High Quality Proteins** - No urea, all protein in the form of true proteins sources
- **Coccidiostat** - Assist against coccidiosis Nil withholding period for meat production
- **Energy** - To assist with growth
- **Trace Mineral Premix** - To assist in maintaining nutritional balance and health
- **Species** - Suitable for multi species stock
- **Packaging** - Bags, Bulk Bags and Bulk conditions apply

Other Specialty Products

- Chick Starter
- Free Range Layer
- Meat Bird Starter
- Pullet Grower
- Poultry Supreme
- Back Yard Layer
- Free Range Scratch Mix
- Duck

General Information

- If you desire commercial growth rates we suggest that additional Calcium be made available to suit individual bird requirements
- The diet should be fed ad-lib to all birds 24 / 7 with adequate feeder space for stock
- A coccidiostat has been added to assist in the control of coccidiosis, nil withholding period for meat production
- Fresh, clean water to be accessible at all times
- Remove unused wasted feed on a regular basis
- Feed intakes will vary at times, due to climate, bird health / stress and general housing and access to feeders

- *Growth rates will vary according to a range of external factors including housing, variable weather conditions, predators, inoculations and hygiene to name a few*
- *Phase supplementary feeding both in and out gradually to help avoid set backs.*
- *Young stock are very sceptical to cold and draughts, housing should be well vented but draught free*
- *Ensure clean, cool water is accessible at all times*
- *Feeders and waterers needs to be easily accessible and cleaned of litter on a regular basis*
- *Quarantine sick birds to prevent possible outbreaks*

Revision: 20080814