

RABBIT GROWER / BREEDER PELLETS

Typical Analysis	As Fed	Dry Matter
MJ / ME	10.80	12.13
Protein (%)	18.00	20.22
Calcium (%)	1.10	1.23
Phosphorus (%)	0.66	0.74
Fibre (%)	11.00	12.35
Fat (%)	3.40	3.80

TRACE MINERAL PREMIX ADDED, FOR MORE DETAILED ANALYSIS PLEASE CONTACT VELLA STOCK FEEDS.

Rabbit Grower / Breeder Pellets has been formulated to suit the high demands of young growers / breeders, lactating does and kittens.

- **Roughage** - Lucerne meal used as a source of roughage.
- **Trace Minerals** - Included to assist in animal performance and health.
- **High Energy** - To assist in growth and lactating demands.
- **No Urea** - All protein from true sources, no urea used.
- **Packaging** - Available in 25 Kg bags and bulk.

Category	Est Daily Consumption (grams)	Suggested Product(s)
Pregnant Does	130 - 160 + Roughage	Rabbit - Grower
Lactating Does & Kittens (weaning 4 - 5 weeks)	340 - 380 + Roughage	Rabbit - Grower + High Protein Roughage
Young Fattening Rabbits (4 - 8 weeks)	110 - 140 + Roughage	Rabbit - Grower
Breeders (>8 weeks)	90 - 110 + Roughage	Rabbit - Grower
Buck (standing)	110 - 130 + Roughage	Rabbit - Grower
Domestic Rabbit	100 - 150 + Roughage	Rabbit & Guinea Pig Pellets Rabbit - Grower
Domestic Guinea Pig	Ad-lib + Roughage	Rabbit & Guinea Pig Pellets Rabbit - Grower

Note:

Where it is favorable to use only one product over the whole rabbitry, the total dietary protein level can be best managed by the use of variable roughages. e.g. to lower total dietary protein replace high protein roughage (lucerne) with a lower protein roughage (straw).

- Intake levels are intended as a guide only and will vary according to breed, size, age, feed availability and environmental conditions, ensure that clean, cool water and effective fibre is available as per requirements at all times.
 - Ensure housing is well ventilated but draft free to avoid respiratory diseases
 - Housing should be designed to lesson the effects of sudden climate / environmental changes
 - For commercial breeders / growers not using "off floor" housing, additives can be added to assist against respiratory deceases , conditions apply. Contact mill for more details.
 - No coccidiostat added to this feed. For alternant coccidiostat programs please consult Veterinarian
 - Introduce new feeds or changes to current feeding program gradually over a 10 -14 day period.
- Revision: 20070808